		ACT/ORDER FOI omplete Block 12, 17			IS 1. Requisition	on Number	•	Page	1 Of 9	
2. Contract No.		3. Award/Effective		order Number	5. Solicitation				citation Issue	Date
7. For Solicitation Information Call:		A. Name CATHERINE HAM				e Number	(No Collect Calls)		r Due Date/I	Local Time
AMSTA-	WARREN -AQ-ADBT N, MICHIGAN	Code	W56HZV	10. This Acquaint Value of the Acquaint Valu	ted	Unle	ery For FOB Destin ss Block Is Marked Schedule	ation	12. Discour	nt Terms
HTTP:/	//CONTRACTI	NG.TACOM.ARMY.MI	L	Small Bu			a. This Contract Is A Under DPAS (18 C			
e-mail: HAMC@TAC	OM.ARMY.MII	L		NAICS: 326 Size Standard		14. Meth	od Of Solicitation		RFP	
15. Deliver To SEE SCHEDU	LE	Code		16. Administ	ered By				Code	
Telephone No. 17. Contractor/Off	eror Code	e Facili	ity	18a. Paymen	t Will Be Made By	,			Code	
Telephone No.										
17b. Check If R	Remittance Is In Offer	Different And Put S	uch	18b. Submit	Invoices To Addre	ess Shown l	In Block 18a Unless	Block Be	elow Is Check	ked
19. Item No.		Schedule Of S	20. upplies/Servio	ces	21. Quantity	22. Unit	23. Unit Price		24 Amo	
25. Accounting And	d Appropriati		additional She				26. Total Award A	<u> </u>		
一	•	es By Reference FAF der Incorporates By	,	,				Are Are	=	Attached. Attached.
X 28. Contractor Copies to Issuing C	: Is Required Office. Contra e Identified A ions Specified	To Sign This Docum actor Agrees To Fur above And On Any A l Herein.	nent And Retu nish And Deli	ver All Items Seets Subject To	29. Av Dated The Any Addition To Items:	ward Of Co	ontract: Ref Your Offer On So anges Which Are Set	licitation t Forth I	n (Block 5), I Herein, Is Ac	Offer ncluding
ova. orgnature Of C	71161 01/COMU	actui			ora, Omicu Stales	oi Aillefi	Ca (Signature Of CO	มนา สตนเกิ	g Omker)	
30b. Name And Tit	le Of Signer (Type Or Print)	30c. Date Si	gned	31b. Name Of Co	ntracting (Officer (Type Or Pri	nt)	31c. Date S	Signed
A41 1 TO T	1D 1				· · · · · · · · · · · · · · · · · · ·		Ct 1	4 4 4 4	A 1600	(2)

19. Item No.	20. Schedule Of Supplies/S	ervices		21. Quantity	22. Unit		23. Unit Price	24. Amount
32a. Quantity In Column	21 Has Been							
Received Ins	spected Accepted, And Confor	rms To The Contra	act, Ex	ccept As Noted	·			
32b. Signature Of Autho	rized Government Representative	32c. Date		32d. Printed	Name and	l Title	of Authorized Govern	ment Representative
32e. Mailing Address of	Authorized Government Representat	tive		32f. Telephor	ne Numbe	r of Au	ıthorized Government	Representative
				32g. E-Mail o	of Authori	ized Go	overnment Representa	tive
33. Ship Number	34. Voucher Number	35. Amount Veri		36. Payment				37. Check Number
Partial Final		Correct For	orrect For		e 🗌	Partia	ıl Final	
38. S/R Account Number	39. S/R Voucher Number	40. Paid By		Complet				•
	int Is Correct And Proper For Paym Of Certifying Officer	ent 41c. Date	42a.	Received By (Print)			
41b. Signature And Title Of Certifying Officer		41c. Date	42b.	Received At (1	Location)			
			42c.	Date Rec'd (Y	Y/MM/D	D)	42d. Total Container	rs
							~	

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-06-Q-0943

MOD/AMD

Page 2 of 9

Name of Offeror or Contractor:

CTIDDT	CMCNTTAT	INFORMATI	\cap

1

Regulatory C	CiteTitle	Date
52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	MAR/2006

- (a) All TACOM solicitations and awards are distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web.
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) Unless otherwise authorized in this solicitation, you are required to submit your offer, bid, or quote electronically, normally via email or datafax. For detailed information about submitting your offer electronically, please see http://contracting.tacom.army.mil/ebidnotice.htm
 - (1) The proper TACOM addresses for offer submission are:
- (i) RFQs: Email your quote to the contract specialist's email address found on the RFQ cover sheet or the DD Form 1155. If you datafax your quote, address your header to the buyer's name or e-mail address, and fax to the TACOM Network Server at datafax number 1-586-574-7788.

 (ii) RFP and Sealed Bidding: Email your offer to:offers@tacom.army.mil If you datafax youir proposal/bid, address your header to: offers@tacom.army.mil and fax to the TACOM Network fax Server at datafax numbetr 1-586-574-5527.
- (2) When datafaxing or emailing an offer, the submitted file cannot exceed 3.5 megabytes. Clearly state Quote, Offer, or Bid on your fax cover page or on the subject line of the e-mail. Use only one of the terms Quotation, Offer, or Bid depending on the solicitation type. Include your company name and annotate the proper internal TACOM address for proper internal routing.
- (3) Authentication for datafax submission is verified by the offeror returned address. Quotes, Bids, or Offers may be sent via datafax using a personal computer or a standalone datafax machine. If you are submitting a datafax, a confirmation of receipt for TACOM-Warren will not be sent.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.
- (e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil. If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. For technical assistance in doing business with the Government, and doing business electronically, please visit the Procurement Technical Assistance Center Website at http://www.sellingtothegovernment.net/index.asp to find a location near you.

[End of Provision]

Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-0943 MOD/AMD

Page 3 **of** 9

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2640-01-519-1201				
	FSCM: 63900 PART NR: WH-45-6				
	SECURITY CLASS: Unclassified				
	Valve, Pneumatic Tire,				
	TR-J40006 Valve, Tubeless Tire, Mounting Location:				
	Rim, I/A/W Tire and Rim Association				
	Number TR-J400-6.				
	Vehicle Application: Interim High Mobility Engineer				
	Excavator				
	(End of narrative A001)				
0001AA	PRODUCTION QUANTITY	20	EA	\$	\$
	MOUNT VALUE DISTINATED TO				
	NOUN: VALVE, PNEUMATIC TIR PRON: EH6Y3384EH PRON AMD: 01				
	AMS CD: 070011				
	Description/Specs./Work Statement				
	QUANTITY VARIATION: 2% OVER 2% UNDER				
	Packaging and Marking				
	PACKAGING/PACKING/SPECIFICATIONS:				
	MILT4 LEVEL PRESERVATION: Commercial				
	LEVEL PACKING: Commercial				
	7				
	Inspection and Acceptance INSPECTION: Destination				
	Deliveries or Performance				
	DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				
	001 W56HZV6132U256 W45G19 J 2				
	DEL REL CD QUANTITY DEL DATE 001 20 30-JUN-2006				
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS (W45C19) YP W300 PED BIVED MUNITIONS CTP				
	(W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHWAY 82 WEST CL V TPF				
	GATE 44 BLDG 184				
	TEXARKANA TX 75507-5000				

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-06-Q-0943

MOD/AMD

Page 4 of 9

Name of Offeror or Contractor:

PACKAGING AND MARKING

2 52.211-4517 PACKAGING REQUIREMENTS (COMMERCIAL) (TACOM)

NOV/2005

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 1

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box. Unit packs shall be designed to conserve weight and cube while retaining the protection required and enhancing standardization.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
 - (1) The quantity is over one (1) gross of the same national stock number,
 - (2) Use enhances handling and inventorying,
 - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - (4) The unit pack is less than 64 cubic inches,
 - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

- (e) Packing:
- (1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

Reference No. of Document Being Continued **CONTINUATION SHEET**

MOD/AMD

Page 5 of 9

PIIN/SIIN W56HZV-06-Q-0943

Name of Offeror or Contractor:

(g) Marking:

- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(3), dated 29 Oct. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. NOTE: Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."
- (4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD)including the required Code 39 and 2D (PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)
 - (h) Hazardous Materials (As applicable):
- (1) Hazardous Materials is defined as a substance or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
 - International Air Transport Association (IATA) Dangerous Goods Regulations
 - International Maritime Dangerous Goods Code (IMDG)
 - Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
 - Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of nonmanufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.
- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 6 of 9
CONTINUATION SHEET	PIIN/SIIN W56HZV-06-Q-0943 MOD/AMD	

Name of Offeror or Contractor:

(k) SUPPLEMENTAL INSTRUCTIONS: -2-

[End of Clause]

DELIVERIES OR PERFORMANCE

3 52.247-34 F.O.B. DESTINATION NOV/1991

CONTINUATION CHEET	Reference No. of Document Bo	Page 7 of 9	
CONTINUATION SHEET	PIIN/SIIN W56HZV-06-Q-0943	MOD/AMD	

Name of Offeror or Contractor:

CONTRACT CLAUSES

4	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFERCENTRAL CONTRACTOR REGISTRATION	OCT/2003
5	52.247-54	DIVERSION OF SHIPMENT UNDER F.O.B. DESTINATION CONTRACTS	MAR/1989

6 52.211-16 VARIATION IN QUANTITY APR/1984

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

- (b) The permissible variation shall be limited to:
 - 2 percent increase; and
 - 2 percent decrease.

This increase or decrease shall apply to the entire contract quantity. $({\tt End\ of\ clause})$

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-06-Q-0943

MOD/AMD

Page 8 of 9

Name of Offeror or Contractor:

REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF OFFERORS

7 52.212-4860 ELECTRONIC QUOTATIONS REQUIRED - COMMERCIAL ITEMS APR/2004 (TACOM)

- 1. You must submit your quotation via paperless electronic media (See paragraph 2 below.). Unless paper copies are specifically requested elsewhere in this solicitation, quotations submitted in paper form are unacceptable. You must submit your electronic quotation, and any supplemental information (such as spreadsheets, backup data, technical information), using any of the following electronic formats:
- (i) Files readable using these Microsoft* 2002 Office Products (TACOM can currently read Ofice 2002* and lower.): Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a format that includes all formulae, macro and format information. Print image is not acceptable. Executable files, other than self-extracting compressed files, are unacceptable.
 - (ii) Files in Adobe PDF (Portable Document Format). Scanners should be set to 200 dots per inch.
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active inks to live Internet sites or pages. All linked information must be contained within your electronic quotation and be accessible offline.
- (iv) Other electronic formats. Before preparing your quotation in any other electronic format, please e-mail the buyer identified in Block 5(b) of the SF 18 cover sheet, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the due date for quotations. Failure to e-mail the buyer within this timeframe to seek an alternate format's acceptability may result in non-consideration of your quotation. All alternate methods must be at no cost to the Government.

Note: The above formats may be submitted in compressed form using self-extracting files. Executable files other than self-extracting compressed files are unacceptable.

- 2. Acceptable media: 100 or 250 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, E-mail, or datafax. You must identify the software application, and version, that you used to create each file submitted. The word "datafax" used in this clause means "facsimile" as defined at FAR 52.215-5.
- (a) 100 or 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, or 650 MEGABYTE CD ROM via U.S. Mail or other carrier. Quoter shall label any and all submitted disks with the solicitation number and due date for quotations, and the quoter's name and address and contact phone number. In the event of multiple submitted quotations, place each quotation/submission on its own disk(s) (one quotation can comprise multiple disks). You must also submit only one quotation per envelope. Submit only one (1) of each disk (no additional copies required).
- (b) E-mail. If you choose to use e-mail, ADDRESS YOUR QUOTATION TO THE BUYER identified in Block 5(b) of the SF18 cover sheet. THE SUBJECT LINE OF THE E-MAIL MUST READ "QUOTATION --[Request for Quotation number], [name of Company/offeror], DUE [due date]". Maximum size of each e-mail message shall be three and one-half (3.5) megabytes. Any compressed files must be self-extracting, and you must provide appropriate instructions. You may use multiple e-mail messages for each quotation, however, you must annotate the subject lines as described above for each message, and number them in this manner: "Message 1 of 3, 2 of 3, 3 of 3".
- (c) DATAFAX. Faxed offers MUST BE SENT TO TACOM'S NETWORK FAX SERVER ON 1-586-574-5527. Paper faxes are not acceptable. Transmit only one quotation for each datafax transaction. Clearly identify the quotation as such on your fax cover page or via your PC, include your company's name, and state the proper internal TACOM address: the buyer's e-mail address found on the front page of the solicitation. Quoters may send a fax using a personal computer or standalone fax machine, but it must be sent to the above number. If you use a standalone fax machine, you won't receive a confirmation of receipt. See paragraph 5 below for the minimum requirements of your offer. Maximum size of datafax quotations is three and one-half megabytes (3.5MB), the same limitation as that for e-mail quotations. For your datafax, use the same subject line as that for e:mails as indicated above: "OFFER--[solicitation number], [name of your Company/offeror], CLOSES [closing date]".

Unless specifically instructed otherwise in this Request For Quotation, select only one medium by which to transmit each quotation. For instance, do not submit a quotation via 100 or 250 megabyte Zip*-disk AND e-mail.

- 3. Commercial product literature in support of technical proposals shall be provided in electronic format in accordance with the format guidelines above. If this literature is unavailable in electronic format, the offeror shall provide a brief description of it in his offer, and shall retain this hard copy literature for possible later review by the Contracting Officer.
- 4. Security Note: If you choose to password-protect access to your quotation, you must provide the password to TACOM at least ten days prior to submitting the protected file. Contact the buyer to arrange a means of providing the password. Passwords used only for the purpose of write protecting files need not be provided.
- 5. Electronic quotations should include, as a minimum:
 - (a) The SF18 cover sheet filled out, or equivalent information.

CONTINUATION SHEET	Reference No. of Document Being	Page 9 of 9	
CONTINUATION SHEET	PHN/SHN W56HZV-06-Q-0943	MOD/AMD	

Name of Offeror or Contractor:

- (b) All applicable fill-in provisions, filled in. You may find Word versions of Section K provisions requiring your fill-in on our TACOM Business Opportunities webpage (http://contracting.tacom.army.mil/mastersol/sectionk.htm). You can fill them in and attach them to your quote. See the solicitation for which provisions are required.
 - (c) A statement of agreement to all the terms, conditions, and provisions of this Request for Quotations.
 - (d) Any other information required by the Request for Quotations.
- 6. Quoters shall make every effort to ensure that their quotation is virus-free.

*Registered trademark

[end of provision]